

Colline Nkol Tsia

x



Country: **Cameroon**

Administrative region: **South (Region)**

Central co-ordinates: **1.00000 N, 1.00000 E**

Qualifying IPA criteria

IPA assessment rationale

x

Site description

x

Botanical significance

Begonia minuta is known only from this one location.

Rinorea simoneae is endemic to Bella village which is nearby.

Calvoa zenkeri

Psychotria satabiei

Habitat and geology

Villiers 871 "On the sandstone rock ridge of an inselberg. Low top forest mixed with *Syzygium guineense* var. *littorale*, *Cassipoua barteri* and *Manilkara obovata*."

IPA criterion A species

SPECIES	QUALIFYING SUB-CRITERION	≥ 1% OF GLOBAL POPULATION	≥ 5% OF NATIONAL POPULATION	1 OF 5 BEST SITES NATIONALLY	ENTIRE GLOBAL POPULATION	SOCIO-ECONOMICALLY IMPORTANT	ABUNDANCE AT SITE
<i>Begonia minuta</i> Sosef	A(i)	✓	✓	✓	✓	—	
<i>Amphiblemma letouzeyi</i> Jacq.-Fél.	A(i)	✓	✓	✓	—	—	
<i>Bulbophyllum platybulbon</i> (Schltr.) Govaerts & J.M.H.Shaw	A(i)	✓	✓	✓	—	—	
<i>Julbernardia letouzeyi</i> Villiers	A(i)	—	✓	✓	—	—	
<i>Euphorbia letestui</i> J.Raynal	A(i)	✓	✓	✓	—	—	
<i>Anthocleista microphylla</i> Wernham	A(i)	✓	✓	✓	—	—	
<i>Hymenostegia bakeriana</i> Hutch. & Dalziel	A(i)	—	—	✓	—	—	
<i>Hymenostegia viridiflora</i> Mackinder & Wieringa	A(i)	✓	—	✓	—	—	
<i>Memecylon simulans</i> (Jacq.-Fél.) R.D.Stone & Ghogue	A(i), A(iii)	✓	✓	✓	—	—	

IPA criterion C qualifying habitats

HABITAT	QUALIFYING SUB-CRITERION	≥ 5% OF NATIONAL RESOURCE	≥ 10% OF NATIONAL RESOURCE	1 OF 5 BEST SITES NATIONALLY	AREAL COVERAGE AT SITE
---------	--------------------------	---------------------------	----------------------------	------------------------------	------------------------

General site habitats

GENERAL SITE HABITAT	PERCENT COVERAGE	IMPORTANCE
----------------------	------------------	------------

Land use types

LAND USE TYPE	PERCENT COVERAGE	IMPORTANCE
---------------	------------------	------------

Threats

THREAT	SEVERITY	TIMING
--------	----------	--------